

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
22 September 2005 (22.09.2005)


PCT

(10) International Publication Number  
**WO 2005/087147 A1**

- (51) International Patent Classification<sup>7</sup>: **A61F 5/00**,  
B29C 45/16
- (74) Agent: **ROLAND, André**; c/o ANDRE ROLAND S.A.,  
Avenue Tissot 15, P.O. Box 1255, CH-1001 Lausanne  
(CH).
- (21) International Application Number:  
PCT/IB2005/050822
- (22) International Filing Date: 5 March 2005 (05.03.2005)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:  
PCT/CH2004/000136  
8 March 2004 (08.03.2004) CH
- (71) Applicant (for all designated States except US): **ENDOART S.A.** [CH/CH]; PSE-B P.O. Box 115, CH-1015 Lausanne (CH).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): **IMBERT, Christian** [CH/CH]; c/o ENDOART S.A., PSE-B P.O. Box 115, CH-1015 Lausanne (CH). **JORDAN, Alain** [CH/CH]; c/o ENDOART S.A., PSE-B P.O. Box 115, CH-1015 Lausanne (CH).
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: CLOSURE SYSTEM FOR TUBULAR ORGANS



(57) Abstract: Surgically implantable adjustable ring (1) comprising a first (3) and second (4) end parts and which is designed to be closed around a tubular organ towards its two end parts (3,4) by a closure system (2,5) to adjust the diameter of said tubular organ by forming a loop, the first end part (3) forming a sleeve having a first (6) and second (7) open end parts and which is designed to receive the ring second end part (4), the sleeve main axis being defined along a direction which is substantially perpendicular to the main direction of the ring first end part (3), the ring second part (4) furthermore comprising a locking protrusion (2) adapted to hold the sleeve (3) and thereby secure the ring in a closed position, characterized by the fact that the sleeve (3) comprises a hole (5) designed to receive said locking protrusion (2).



**Published:**

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

5

## Closure system for tubular organs

### Field of the invention

The present invention relates to surgical devices for adjusting the diameter of tubular organs such as the esophagus, the stomach, the colon or the urethra. Such devices may be used as sphincters (e.g. anal or urinary sphincter) or for the control of obesity.

It more precisely relates to surgically implantable adjustable rings for encircling said tubular organs.

15

### State of the art

Surgical devices for adjusting the diameter of tubular organs are disclosed in patent documents US 5 658 298, US 5 601 604, FR 2 823 663, WO 01/85071 and WO 03/059215.

The device disclosed in WO 03/059215 has a ring shape which comprises a first and second end parts and which is designed to be closed around a tubular organ towards its two end parts by a closure system to adjust the diameter of said tubular organ by forming a loop, the first end part forming a sleeve having a first and second open end parts and which is designed to receive the ring second end part, the sleeve main axis being defined along a direction which is substantially perpendicular to the main direction of the ring first end part, the ring second part furthermore comprising a locking protrusion adapted to hold the border of the sleeve second end part and thereby to secure the ring in a closed position.

### Summary of the invention

An object of the present invention is to provide an improved closure system for the previous cited prior art devices.

This and other objects are achieved with the device as defined in claim 1.

35

An embodiment of the invention will be discussed in a more detailed way here below together with figures 1 and 2.

5 The adjustable ring 1 comprises a first 3 and a second 4 end parts.

Any suitable material can be used with the ring 1, e.g. a biocompatible elastomeric material. The external part of the ring 1 can be more rigid than the internal part, this latter one having an internal diameter which can be adjusted.

10 The first end part 3 forms a sleeve which is designed to receive the second end part 4.

The second end part 4 has an extension 11 which contains adjusting means, for instance a wire which can be pulled or pushed in order to adjust the ring 1 diameter.

15 The sleeve 3 has a first end part 6 which is reinforced by a flange 12 and a second end part 7 which contains a hole 5 designed to receive and efficiently retain a protrusion 2 which is fixed to the ring second end part 4.

For closing or opening the ring 1 the sleeve second end part 7 is provided with an extension forming a flexible tab 9.

20 The tab 9 contains a hole 10 situated close to the sleeve hole 5. The presence of the hole 10 in the tab 9 provides several advantages, in particular by preventing the accidental opening of the closure system when the tab 9 has to support forces which tend to fold the tab 9 in the direction of the extension 11. The forces may be due to the movement of the patient or the organs of the patient or to the fluid or bolus passing through the tubular organ. The zone between both holes 5,10 is reinforced by a flange 8. The other sides of the tab hole 10 are also reinforced by  
25 flanges 13,14.

The protrusion 2 shape is designed to closely match the flange 8 shape.

The invention is of course not limited to the above cited example.

30 For instance, the hole 10 can be replaced by a portion being more flexible than the remaining part of the tab 9.

Such a more flexible portion can be obtained by different ways, for example in making the portion thinner than the tab.

35 The invention can be used for different uses, for instance as a sphincter or as a gastric ring.

5

**Claims**

1. Surgically implantable adjustable ring (1) comprising a first (3) and  
second (4) end parts and which is designed to be closed around a tubular  
organ towards its two end parts (3,4) by a closure system (2,5) to adjust the  
diameter of said tubular organ by forming a loop, the first end part (3)  
forming a sleeve having a first (6) and second (7) open end parts and which  
is designed to receive the ring second end part (4), the sleeve main axis  
being defined along a direction which is substantially perpendicular to the  
main direction of the ring first end part (3), the ring second part (4)  
furthermore comprising a locking protrusion (2) adapted to hold the sleeve  
(3) and thereby secure the ring in a closed position, characterized by the fact  
that the sleeve (3) comprises a hole (5) designed to receive said locking  
protrusion (2).
2. Adjustable ring according to claim 1 wherein the sleeve second end part (7)  
contains said hole (5) and partially covers the ring second end part (4).
3. Adjustable ring according to claim 2 comprising a reinforcement (8), for  
instance a flange, situated on at least the hole side which is in close contact  
with the protrusion (2) when the ring (1) is closed.
4. Adjustable ring according to anyone of the previous claims comprising a tab  
(9) extending from the sleeve second end part (7).
5. Adjustable ring according to claim 4 wherein the tab (9) comprises a flexible  
portion, being more flexible than the remaining part of the tab, which is  
situated close to said sleeve hole (5), in such a way as to prevent an  
accidental opening of the closure system.
6. Adjustable ring according to claim 5 wherein said flexible portion comprises  
a hole (10).

FIG. 1





FIG. 2



# INTERNATIONAL SEARCH REPORT

International Application No  
PCT/IB2005/050822

**A. CLASSIFICATION OF SUBJECT MATTER**  
IPC 7 A61F5/00 B29C45/16

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)  
IPC 7 A61F B29C

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 02/096326 A (SURGICAL DIFFUSION; MOUTON, DIDIER; I.O.C) 5 December 2002 (2002-12-05) page 7, line 5 - page 8, line 24 figures 2-4	1

☐ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

\* Special categories of cited documents :

- \*A\* document defining the general state of the art which is not considered to be of particular relevance
- \*E\* earlier document but published on or after the international filing date
- \*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- \*O\* document referring to an oral disclosure, use, exhibition or other means
- \*P\* document published prior to the international filing date but later than the priority date claimed

- \*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- \*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- \*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- \*&\* document member of the same patent family

Date of the actual completion of the international search

4 July 2005

Date of mailing of the international search report

12/07/2005

Name and mailing address of the ISA  
European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Storer, J



# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/IB2005/050822

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 02096326 A	05-12-2002	FR 2825264 A1	06-12-2002
		AT 283008 T	15-12-2004
		BR 0210079 A	17-08-2004
		CA 2448943 A1	05-12-2002
		CN 1523975 A	25-08-2004
		DE 60202067 D1	30-12-2004
		EP 1399101 A2	24-03-2004
		ES 2232758 T3	01-06-2005
		WO 02096326 A2	05-12-2002
		MX PA03010928 A	18-03-2004
		US 2004230137 A1	18-11-2004